

# **NeXtal Cations Suite**

Version 2.0 Revision Date 03/31/2020 Print Date 03/31/2020

#### **SECTION 1. IDENTIFICATION**

Product name : NeXtal Cations Suite

## Manufacturer or supplier's details

Company : NeXtal

6201 Trust Dr Holland, OH 43528

USA

Telephone : 419-740-6600

E-mail address : www.calibrescientific.com

Emergency telephone : CHEMTREC

USA & Canada 1-800-424-9300

Outside USA & Canada (703) 527-3887

Chemtrec ID# 696910

#### Recommended use of the chemical and restrictions on use

Recommended use : Laboratory chemicals

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Acute toxicity (Oral) : Category 4

Skin irritation : Category 2

Serious eye damage : Category 1

Carcinogenicity : Category 1A

Reproductive toxicity : Category 1B

Acute aquatic toxicity : Category 1

Chronic aquatic toxicity : Category 1

## **GHS Label element**



# **NeXtal Cations Suite**

Version 2.0 Revision Date 03/31/2020 Print Date 03/31/2020

Hazard pictograms









Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/

face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/ physician.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

### Other hazards

None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Substance name : Semifinished Cations

### **Hazardous ingredients**

Chemical Name	CAS-No.	Concentration (% w/w)
Zinc sulfate, heptahydrate (1:1:7)	7446-20-0	>= 30 - < 50
Magnesium chloride, hexahydrate	7791-18-6	>= 20 - < 30
calcium chloride dihydrate	10035-04-8	>= 20 - < 30
zinc acetate dihydrate	5970-45-6	>= 20 - < 30
ammonium chloride	12125-02-9	>= 10 - < 20
4-Morpholineethanesulfonic acid	145224-94-8	>= 1 - < 10
Sodium cacodylate trihydrate	6131-99-3	>= 1 - < 10
imidazole	288-32-4	>= 0.1 - < 1

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Show this material safety data sheet to the doctor in

attendance.



NI - W4 - I	A - 11	<b>O</b> 11 -
NAXtai	Cations	SILITA
IACVIAI	Gaudio	Juite

Version 2.0 Revision Date 03/31/2020 Print Date 03/31/2020

If inhaled : Call a physician or poison control center immediately.

If unconscious place in recovery position and seek medical

advice.

In case of skin contact : Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

If symptoms persist, call a physician.

In case of eye contact : Small amounts splashed into eyes can cause irreversible

tissue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Remove contact lenses. Protect unharmed eyes.

If swallowed : If accidentally swallowed obtain immediate medical attention.

Rinse mouth with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

: Harmful if swallowed. Causes skin irritation.

Causes serious eye damage.

May cause cancer.

May damage fertility or the unborn child.

No information available.

Notes to physician : No information available.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during fire

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Exposure to decomposition products may be a hazard to

health.

Hazardous combustion

products

: Carbon oxides

Magnesium oxides potassium oxide

Carbon monoxide, carbon dioxide and unburned

hydrocarbons (smoke). Nitrogen oxides (NOx) Chlorine compounds Hydrogen chloride gas

Metal oxides Sulfur oxides

Arsenic compounds

Specific extinguishing

methods

: In the event of fire and/or explosion do not breathe fumes.



**NeXtal Cations Suite** 

Version 2.0 Revision Date 03/31/2020 Print Date 03/31/2020

Special protective equipment

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Avoid breathing dust/fumes/gas/mist/vapors/spray.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE** 

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage

: Keep container tightly closed in a dry and well-ventilated

place.

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ammonium chloride	12125-02-9	TWA	10 mg/m3	ACGIH
		STEL	20 mg/m3	ACGIH
		TWA (Fumes)	10 mg/m3	NIOSH REL
		ST (Fumes)	20 mg/m3	NIOSH REL
		TWA	10 mg/m3	OSHA P0
		STEL	20 mg/m3	OSHA P0
		TWA (Fumes)	10 mg/m3	ACGIH
		STEL (Fumes)	20 mg/m3	ACGIH
		TWA	10 mg/m3	NIOSH REL



## **NeXtal Cations Suite**

Version 2.0 Revision Date 03/31/2020 Print Date 03/31/2020

(Fumes)		
ST (Fumes)	20 mg/m3	NIOSH REL

#### Hazardous components without workplace control parameters

Ingredients	CAS-No.
Zinc sulfate, heptahydrate	7446-20-0
(1:1:7)	
Magnesium chloride,	7791-18-6
hexahydrate	
calcium chloride dihydrate	10035-04-8
zinc acetate dihydrate	5970-45-6
4-Morpholineethanesulfonic	145224-94-8
acid	
Sodium cacodylate trihydrate	6131-99-3
imidazole	288-32-4

Personal protective equipment

Respiratory protection : In the case of vapor formation use a respirator with an

approved filter.

Hand protection

Material : Protective gloves

Remarks : The choice of an appropriate glove does not only depend on

its material but also on other quality features and is different from one producer to the other. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions

(mechanical strain, duration of contact).

Eye protection : Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Do not wear contact lenses.

Ensure that eyewash stations and safety showers are close

to the workstation location.

Skin and body protection : Choose body protection according to the amount and

concentration of the dangerous substance at the workplace.

acid-resistant protective clothing Footwear protecting against chemicals

Hygiene measures : Keep away from food and drink.

Wash hands before breaks and at the end of workday. Ensure adequate ventilation, especially in confined areas.

Keep working clothes separately.

Avoid contact with the skin and the eyes. When using do not eat, drink or smoke.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : No data available



# **NeXtal Cations Suite**

Version 2.0 Revision Date 03/31/2020 Print Date 03/31/2020

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Burning rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.



**NeXtal Cations Suite** 

Version 2.0 Revision Date 03/31/2020 Print Date 03/31/2020

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

Hazardous decomposition products formed under fire

conditions.

Keep away from oxidizing agents, and acidic or alkaline

products.

Conditions to avoid : No data available

Incompatible materials : No data available

Hazardous decomposition

products

: No decomposition if stored and applied as directed.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

Harmful if swallowed.

**Product:** 

Acute oral toxicity : No data available

Acute toxicity estimate: 1,309 mg/kg

Method: Calculation method

Acute inhalation toxicity : No data available

Acute toxicity estimate: > 40 mg/l

Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

Acute dermal toxicity : No data available

**Ingredients:** 

Zinc sulfate, heptahydrate (1:1:7):

Acute oral toxicity : LD50 Oral (Rat): 2,150 mg/kg

Magnesium chloride, hexahydrate:

Acute oral toxicity : LD50 Oral (Rat): 8,100 mg/kg

zinc acetate dihydrate:

Acute oral toxicity : LD50 Oral (Rat): 794 mg/kg

ammonium chloride:

Acute oral toxicity : LD50 Oral (Rat): 1,650 mg/kg

imidazole:

Acute oral toxicity : LD50 Oral (Rat): 970 mg/kg

Skin corrosion/irritation

Causes skin irritation.

**Product:** 



## **NeXtal Cations Suite**

Version 2.0 Revision Date 03/31/2020 Print Date 03/31/2020

Remarks:

May irritate skin.

### Serious eye damage/eye irritation

Causes serious eye damage.

#### **Product:**

Remarks:

May cause irreversible eye damage.

## Respiratory or skin sensitization

Skin sensitization: Not classified based on available information.

Respiratory sensitization: Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

May cause cancer.

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

**OSHA**No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

### Reproductive toxicity

May damage fertility or the unborn child.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

## **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

No data available

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

Product:

Toxicity to fish : No data available

Toxicity to algae : No data available

Toxicity to bacteria : No data available



## **NeXtal Cations Suite**

Version 2.0 Revision Date 03/31/2020 Print Date 03/31/2020

**Ingredients:** 

Zinc sulfate, heptahydrate (1:1:7):

Toxicity to fish : LC50 (Fish): 1 mg/l

Exposure time: 96 h

zinc acetate dihydrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.55 mg/l

Exposure time: 96 h

ammonium chloride:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 209 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 161 mg/l

Exposure time: 48 h

Sodium cacodylate trihydrate:

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 53.5 mg/l

Exposure time: 48 h

imidazole:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 283.6 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 341.5 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Scenedesmus quadricauda (Green algae)): 133 mg/l

Exposure time: 72 h Test Type: static test

Toxicity to bacteria : 45 mg/l

Exposure time: 0.5 h

Persistence and degradability

No data available

Bioaccumulative potential

**Product:** 

Bioaccumulation : No data available

Mobility in soil

No data available

Other adverse effects

**Product:** 

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +



**NeXtal Cations Suite** 

Version 2.0 Revision Date 03/31/2020 Print Date 03/31/2020

B).

Additional ecological

information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Send to a licensed waste management company.

Dispose of as hazardous waste in compliance with local and

national regulations.

Contaminated packaging : Dispose of as unused product.

Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

**IATA-DGR** 

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(ZINC SULFATE HEPTAHYDRATE, ZINC ACETATE)

Class : 9
Packing group : III

Labels : Miscellaneous

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ZINC SULFATE HEPTAHYDRATE, ZINC ACETATE)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A

EmS Code : F-A, S-F Marine pollutant : yes

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

**49 CFR** 

UN/ID/NA number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(ZINC SULFATE HEPTAHYDRATE, ZINC ACETATE)

Class : 9 Packing group : III



# **NeXtal Cations Suite**

Version 2.0 Revision Date 03/31/2020 Print Date 03/31/2020

Labels : Class 9 - Miscellaneous Dangerous Goods

ERG Code : 171

Marine pollutant : yes(ZINC SULFATE HEPTAHYDRATE, ZINC ACETATE)

#### **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know**

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

Chronic Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Zinc sulfate, 7446-20-0

heptahydrate (1:1:7)

zinc acetate dihydrate 5970-45-6

**US State Regulations** 

California Prop. 65 This product does not contain any chemicals known to the

State of California to cause cancer, birth, or any other

reproductive defects.

**TSCA list** 

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the



# **NeXtal Cations Suite**

Version 2.0 Revision Date 03/31/2020 Print Date 03/31/2020

Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL -Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan): ISHL - Industrial Safety and Health Law (Japan): PICCS - Philippines Inventory of Chemicals and Chemical Substances: NZIoC - New Zealand Inventory of Chemicals: TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS -Extremely Hazardous Substance: HMIS - Hazardous Materials Identification System: MSHA -Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA -Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

Revision Date : 03/31/2020

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.